



SAE-AS22759/17 Formerly MIL-W-22759/17

Insulation: **Ethylene-Tetrafluoroethylene (ETFE)**
 Silver Plated High Strength Copper Alloy Conductor
 Voltage Rating: 600 Volts
 Temperature: 150°C

Standard wall ethylene-tetrafluoroethylene (ETFE) insulation (also known as Tefzel) designed for aerospace applications where weight, dimensional tolerance, and mechanical durability are required. This wire is small in size, light weight, and exhibits high chemical and radiation resistance.

Wire Type RDS Number	Dimensional Data		Insulation O.D.		
	Gauge	Stranding	Nominal Inches	Resistance @ 20°C OHMS/1000' max	Nominal Weight Pounds/1000'
M22759/17	(AWG)				
M22759/17-26-*	26	19/38	.040	44.8	1.67
M22759/17-24-*	24	19/36	.045	28.4	2.32
M22759/17-22-*	22	19/34	.052	17.5	3.40
M22759/17-20-*	20	19/32	.060	10.70	4.96

* = Color.

0 = Black, 1= Brown, 2 = Red, 3 = Orange, 4 = Yellow, 5 = Green, 6 = Blue, 7 = Violet, 8 = Grey, 9 = White
 These colors may also be used for stripe combinations. Example: -916 = White with one Brown and one Blue stripe.
 Complete Mil Spec call out M22759/17 - 24 - 916 => { 24 AWG (19/36) White/Brown/Blue }